Honda Africa Twin Specification

Model		Africa Twin		
ENGINE AND FUEL SYSTEM				
Туре		Liquid – cooled , 4 stroke, Parallel Twin		
Displacement		998 cm³		
Bore X Stroke		92.0 mm X 75.1 mm		
Compression Ratio		10.0 : 1		
Max. Power		70.0 kW / 7,500 rpm		
Max. Torque		99.0 N.m / 6,000 rpm		
Engine Oil	MT	4.8 ℓ		
Capacity	DCT	5.2 ℓ		
Carburation		Fuel Injection (PGM-Fi)		
TRANSMISSION				
Clutch Type	MT	Manual Clutch Wet Multiplate Type		
	DCT	Automatic Clutch Wet Multiplate Type		
Transmission	MT	6 Speed		
	DCT	6 Spee	6 Speed Dual Clutch Transmission (DCT)	
DIMENSION AND WEIGHT				
Dimension (L x W x H)		2310 mm x 930 mm x 1435 mm		
Wheelbase		1560 mm		
Caster Angle		27°		
Trail		113 mm		
Seat Height		870mm/850mm (STD/Low Position)		
Ground Clearance		210 mm		
Kerb Weight	MT	229 kg		
	DCT	239 kg		
Fuel tank capacity		18.8. ℓ		
SUSPENSION, WHEELS & BRAKE		=		
Suspension Type		Front	Showa USD fork with dial-style preload adjuster and DF adjustment	
		Rear	Monoblock cast aluminium swing arm with Pro- Link with gas-charged damper, hydraulic dial-style preload adjuster and rebound damping adjuster	
Rim Size		Front	21 M/C x MT 2.15	
		Rear	18 M/C x MT 4.00	
Tyres		Front	90/90R -12 M/C 54H (Tube)	
		Rear	150/70R – 18M/C 70H (Tube)	
Brakes Type		Front	Hydraulic Double Disc, ABS + HSTC	
		Rear	Hydraulic Single Disc, ABS + HSTC	