\frown					
mazda					
	Model Name	MAZDA CX-30 2.0	MAZDA CX-30 2.0	MAZDA CX-30 2.0	MAZDA CX-30 2.0
			High	High+	High+ Premium
			-	-	-
	Model Code	DV18 MM1	DV18 MM2	DV18 MM3	DV19 MM1
POWERTRAIN					
Engine Type		SKYACTIV [®] -G 2.0L	SKYACTIV [®] -G 2.0L	SKYACTIV®-G 2.0L	SKYACTIV®-G 2.0L
		DOHC 16-Valve 4	DOHC 16-Valve 4	DOHC 16-Valve 4	DOHC 16-Valve 4
		Cylinder With VVT	Cylinder With VVT	Cylinder With VVT	Cylinder With VVT
Engine Capacity	сс	1,998	1,998	1,998	1,998
Maximum Power	Hp / RPM	162 / 6,000	162 / 6,000	162 / 6,000	162 / 6,000
Maximum Torque	Nm / RPM	213 / 4,000	213 / 4,000	213 / 4,000	213 / 4,000
Maximum Speed	Km/h	196	196	196	196
Compression Ratio		13.0 : 1	13.0 : 1	13.0 : 1	13.0 : 1
Bore x Stroke	mm	83.5 x 91.2	83.5 x 91.2	83.5 x 91.2	83.5 x 91.2
Drivetrain		2WD	2WD	2WD	2WD
Transmission		SKYACTIV®-DRIVE 6-	SKYACTIV®-DRIVE 6-	SKYACTIV®-DRIVE 6-	SKYACTIV®-DRIVE 6-
		Speed Automatic	Speed Automatic	Speed Automatic	Speed Automatic
		with Manual Shift	with Manual Shift	with Manual Shift	with Manual Shift
		Mode	Mode	Mode	Mode
Fuel Type		Petrol	Petrol	Petrol	Petrol
Recommended Fuel		Min.Ron 95	Min.Ron 95	Min.Ron 95	Min.Ron 95
Fuel Efficiency *		6.4L / 100km	6.4L / 100km	6.4L / 100km	6.4L / 100km
Fuel System		Direct Injection	Direct Injection	Direct Injection	Direct Injection
Fuel Tank Capacity	Litres	51	51	51	51
	-				
Brake Type	Front	Ventilated Disc	Ventilated Disc	Ventilated Disc	Ventilated Disc
	Rear	Solid Disc	Solid Disc	Solid Disc	Solid Disc
Suspension Type	Front	MacPherson Struts	MacPherson Struts	MacPherson Struts	MacPherson Struts
. · · ·	Rear	Torsion Beam	Torsion Beam	Torsion Beam	Torsion Beam
Steering Type		Electronic Power	Electronic Power	Electronic Power	Electronic Power
		Assisted Steering (EPAS)	Assisted Steering (EPAS)	Assisted Steering (EPAS)	Assisted Steering (EPAS)
Turning Circle Diameter, Curb to Curb	Meter	5.30	5.30	5.30	5.30
Wheel Type	Weter	Alloy	Alloy	Alloy	Alloy
Wheel Size		16 x 6.5J	18 x 7J	18 x 7J	18 x 7J
Tyre Size		215/65R16	215/55R18	215/55R18	215/55R18
Wheel Type (Spare)		Temporary steel	Temporary steel	Temporary steel	Temporary steel
Wheel Size (Spare)		16 x 5J	16 x 5J	16 x 5J	16 x 5J
Tyre Size (Spare)		185/65R16	185/65R16	185/65R16	185/65R16
DIMENSIONS					
Overall Length	mm	4,395	4,395	4,395	4,395
Overall Width	mm	1,795	1,795	1,795	1,795
Overall Height	mm	1,540	1,540	1,540	1,540
Wheelbase	mm	2,655	2,655	2,655	2,655
Ground Clearance	mm	175	175	175	175
Curb Weight	kg	1,436	1,436	1,436	1,436

\square						
\bigcirc				1400		
mazpa			201			
		Model Name	MAZDA CX-30 2.0	MA7DA CY-30 2 0	MA7DA CY-30 2 0	MAZDA CX-30 2.0
		Model Name	WAZDA CA-30 2.0	High	High+	High+ Premium
				nigii	підіт	night Fleinium
		Model Code	DV18 MM1	DV18 MM2	DV18 MM3	DV19 MM1
EXTERIOR		Woder Code		DV18 WIWIZ	DV18 IVIIVIS	
Front Headlights			LED	LED with Signature	LED with Signature	LED with Signature
Tront neutrights				Illumination	Illumination	Illumination
Front Headlights On/O	ff Function		Auto	Auto	Auto	Auto
Front Headlights Leveli			Auto	Auto	Auto	Auto
Daytime Running Light			Bulb	LED	LED	LED
Rear Combination Taill	ights		LED	LED with Signature	LED with Signature	LED with Signature
				Illumination	Illumination	Illumination
Rear Fog Light			•	•	•	•
Reverse Lights			LED	LED	LED	LED
Windshield Wipers	Rain Sensing		•	•	•	•
	Intermittent Functio	n	Variable	Variable	Variable	Variable
Rear Wiper/Washer			Intermittent	Intermittent	Intermittent	Intermittent
Mazda Advanced Keyle			•	•	•	•
Outer Rearview	with Power Adjustat	ble	•	•	•	•
mirrors	with Power Folding		• (Autofold)	• (Autofold)	• (Autofold)	• (Autofold)
Bower Suproof with Sli	with Turn Indicators		•	•	•	•
Power Sunroof with Sli Antenna	ung & The Glass		- Built-in	 Built-in	 Built-in	● Built-in
Rear Spoiler			■ Built-III	•	Built-III	Built-III
Power Tailgate			-	•	•	•
Parking Sensors		Front		x 4	x 4	x 4
		Rear	-	x 4	x 4	x 4
Radiator Grille			Material	Black	Black	Black
INTERIOR						
Engine Start / Stop But	ton		•	•	•	•
Electronic Parking Brak	e (EPB)		•	•	•	•
Steering Wheel Mount	ed Switches	Audio Control	•	•	•	•
		Bluetooth [®] Hands-Free	•	•	•	•
Cruise Control			•	•	•	•
Rear View Mirror			•	• (with Auto-	• (with Auto-	 (Frameless with
			dimming)	dimming)	Auto-dimming)	
Instrument Cluster			7" Colour TFT LCD	7" Colour TFT LCD	7" Colour TFT LCD	7" Colour TFT LCD
One Touch /I Is and D		ith Anti Dinch	Multi-Info Display	Multi-Info Display	Multi-Info Display	Multi-Info Display
One Touch (Up and Do		rith Anti-Pinch	All windows	All windows	All windows	All windows
Active Driving Display (Heads-Up Display) Steering Wheel Material		Color Windshield- Projection Display	Color Windshield- Projection Display	Color Windshield- Projection Display	Color Windshield- Projection Display	
		Leather	Leather	Leather	Leather	
Steering Wheel Adjustment		Tilt & Telescopic	Tilt & Telescopic	Tilt & Telescopic	Tilt & Telescopic	
Paddle Shifters		-				
Drive Mode Selection Switch		•	•	•	•	
Gear Shift Knob		Leather	Leather	Leather	Leather	
Front Air-Conditioning		Manual	Dual-Zone Auto	Dual-Zone Auto	Dual-Zone Auto	
Rear Air-Conditioning		-	Rear Air Vents	Rear Air Vents	Rear Air Vents	
12-Volt Power Outlet		Center Armrest	Center Armrest	Center Armrest	Center Armrest	
Interior Lighting Map Lights Cabin Light Cargo Area Light		Map Lights	•	•	•	•
		Cabin Light	•	•	•	•
		•	•	•	•	

) Mazda						
		Model Name	MAZDA CX-30 2.0	MAZDA CX-30 2.0 High	MAZDA CX-30 2.0 High+	MAZDA CX-30 2.0 High+ Premium
		Model Code	DV18 MM1	DV18 MM2	DV18 MM3	DV19 MM1
SEATS						
Seating Capacity			5	5	5	5
Front Seats	Driver	Adjustment	8-Way Manual	10-Way Power	10-Way Power	10-Way Power
		Memory Function	-	2-Position	2-Position	2-Position
	Front Passenger	Adjustment	6-Way Manual	6-Way Manual	6-Way Manual	6-Way Manual
Rear Seats	2nd Row		60:40 Split-fold	60:40 Split-fold	60:40 Split-fold	60:40 Split-fold
Seat Material			Fabric	Leather	Leather	Leather
INFOTAINMENT						
Infotainment System wi	th Voice Recognition		8.8" Display	8.8" Display	8.8" Display	8.8" Display
Apple CarPlay [®] & Andro			•	•	•	•
Multi-Function Comman			•	•	•	•
AM / FM Tuner			•	•	•	•
Bluetooth [®] Hands-Free	Phone and Audio Capa	bility	•	•	•	•
Audio Speakers	· · ·		x 8	x 8	x 8	x 8
USB Ports			x 2	x 2	x 2	x 2
Reverse Camera		with Guidelines	•	•	•	360° View Monitor
ADVANCED TECHNOLO	GIES					
Stop/Start Idling Techno			•	•	•	•
G-Vectoring Control Plu			•	•	•	•
SAFETY			_	-	-	_
SRS Airbags		Front (Driver & Passenger)	•	•	•	•
		Side (Front)	•	•	•	•
		Curtain (Front & Rear)	•	•	•	•
		Knee (Driver Only)	•	•	•	•
		•	•	•	•	
Anti-Lock Braking System (ABS) Electronic Brake-Force Distribution (EBD)			•	•	•	•
Brake Assist (BA)			•	•	•	•
Dynamic Stability Control			•	•	•	•
			•	•	•	•
Traction Control System	· · ·		•	•	•	•
Emergency Stop Signal (•	•	•	•
Hill Launch Assist (HLA) Auto Hold Function			•	•	•	•
			•	•	•	•
Auto Door Lock		•	•	•	•	
Walk Away Lock		Driver & December	•	•	•	•
Seat-Belt Warning		Driver & Passenger	•			
Cost Dalta	Driver & Desseran	Rear Passengers	•	•	•	•
Seat-Belts	Driver & Passenger	with Pretensioners	•	•	•	•
		with Load Limiter	•	•	•	•
		with Height Adjustable Anchorages	•	•	•	•
3-Point Seat Belts All Seats		•	•	•	•	
Seat Belts with Emergency Locking Retractor All Seats (ELR)		•	•	•	•	
ISOFIX Child Restraint A	ISOFIX Child Restraint Anchor Points and Top Tethers		•	•	•	•
Engine-Immobilizer			with Anti-theft	with Anti-theft	with Anti-theft	with Anti-theft
		System	System	System	System	

	Model Name	MAZDA CX-30 2.0	MAZDA CX-30 2.0	MAZDA CX-30 2.0	MAZDA CX-30 2.0
			High	High+	High+ Premium
	Model Code	DV18 MM1	DV18 MM2	DV18 MM3	DV19 MM1
ADVANCED SAFETY TECHNOLOGIES					
Adaptive Front-Lighting System (AFS)		-	•	•	-
High Beam Control (HBC)		-	-	•	-
Adaptive LED Headlamps (ALH)		-	-	-	•
Blind Spot Monitoring (BSM)		-	-	•	•
Rear Cross Traffic Alert (RCTA)		-	-	•	•
Front Cross Traffic Alert (FCTA)		-	-	-	•
Lane Departure Warning System (LDWS)		-	-	•	•
Lane-Keep Assist System (LAS)		-	-	•	•
Driver Attention Alert (DAA)		-	-	•	with Driver
					Monitoring
Smart Brake Support (SBS)		-	-	Front & Rear	Front & Rear
Mazda Radar Cruise Control (MRCC)		-	-	 (Stop & Go) 	 (Stop & Go)
Cruising & Traffic Support (CTS)		-	-	-	•

Specification is updated as of: 9/2/2023.

All vehicle models and specification shown are for Malaysia market only. Specification shown may vary from the actual vehicles. Specification may subject to change without prior notice.

Pictures shown are for illustration purposes only. It does not depict the actual vehicle.

* Fuel Efficiency info is based on a combined fuel test cycle (Urban & Extra Urban). Test method: NEDC. Origin: United Nations. ** Android Auto will be available upon official launch of service in Malaysia

Date Prepared: 9/2/2023. Prepared By: Product Marketing Division.